1	ATGGACGTGAACCTTGCCCGCGCCCCGGGCTGGGATGATTCTTCCCGGGCTCTGATCGTTTCGCACGGCCGGACTTCAGGGATATATCC																														
	M	1)	V	Ħ	L	A	₽	Ľ	R	A	W	D	D	F	P	₽	G	S	D	R	F	A	R	P	D	P	R	D D		TCC S
91	AA) Tā	ij	AC	AAC	CGI	GT.	GTG	AGC	AAT	'CTG	CTC	PAT:	TAC	CAC	acc	AAC	TAC	CTG	GPG									_		TTT
	K		7	N	N	R	V	V	s	Ŋ	T.	L	¥	Y	Q	T	Ħ	Y	I.		v				M		S	V	V	G G	E
181 CTGAGCCCCTTCAACATGATCCTTGGAGGAATCATTGTGGTGCTGGTGTTCACGGGGTTTGTGTGGGCAGCAC														2	~~~																
	<u>L</u>		3	P	₽	М	M	I	L	G	G	I	I	v	Ą	L	V	F	T	G	F	V	N N	A			ari N	R K		atc I	CTC L
27.1	CG	cce	G	TG	AAG	aag	CAC	TAC	CCA	ACG	GCC	TTT	GIC	ATG	GTG	GTC	atg	CTA	GCC	AGC	TAC	ምጥረ	ሮምር	አሞአ	ጥሎራ	3	יונטיני		^~	~~~	atg
	R	<u>F</u>	3	H	K	K	Q	Y	P	T	A	F	V	M	V	V	M	L	A.	S	Y	F		I			F	G G	G	GIC. V	atg M
361	GT	CT1	Yr G	TG:	TTT	GGC	ATC	AÇĢ	TTT	CCC	TTA	TTG	TTG	ATG	4 270	ATC	CAT	CCI	ሙርተ	CTC	ስ (ሚከ	ונטונגיין	CCA	330		***		-i			aat
	¥	£	?	V	F	G	I	T	F	P	T	L	L	M	F	I	H	A	<u>s</u>	L	R	L	R	N	L	abg K	aac N	aaa X	CTG L	gaa E	aat N
451	AAZ	LAA	'GG	AG	GA	rta	GGC	TTG	AAG	AAA	ACG	ccs	ATG	esc	אדכ	atc	CTG	C D T		TTC		~ % ~	# N #	~ 55.	~~ <i>~</i>						
	K	P	í	B	G	I	G	L	K	K	T	Þ	M	G	r	I	L	D	A	L	E	Q	Q Q	B B	D	AGC S	atc I	aay N	AAA K	TTT: F	GCT A
541	GAC	CTA	CA	TC!	lGC.	AAA	GÇC	AGG	GAG	TAA																			-		
	Ď	Y	•	I	8	K	Ą	R	E	*																					

Supplement 1. Nucleotide and amino acid sequence of GTRAP3-18. Lines 1-4: putative transmembrane domains, double lines: potential protein kinase-dependent phosphorylation sites (S/T-X-K/R). GenBank accession number for GTRAP3-18 is AF240182.

Fig. 1




Fig. 2




Fig. 3

Fig. 4A




Fig. 4B




Fig. 4C





Fig. 4D






Fig. 5





Fig. 6A






Fig. 7